

兔抗 WDR4 多克隆抗体

中文名称：兔抗 WDR4 多克隆抗体

英文名称： Anti-WDR4 rabbit polyclonal antibody

别名： WD repeat domain 4; TRM82; TRMT82

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： WDR4

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	This gene encodes a member of the WD repeat protein family. WD repeats are minimally conserved regions of approximately 40 amino acids typically bracketed by gly-his and trp-aspartic acid (GH-WD), which may facilitate formation of heterotrimeric or multiprotein complexes. Members of this family are involved in a variety of cellular processes, including cell cycle progression, signal transduction, apoptosis, and gene regulation. This gene is excluded as a candidate for a form of nonsyndromic deafness (DFNB10), but is still a candidate for other disorders mapped to 21q22.3 as well as for the development of Down syndrome phenotypes. Alternatively spliced transcript variants have been found for this gene.
Applications:	ELISA, WB, IHC

Name of antibody:	WDR4
Immunogen:	Fusion protein of human WDR4
Full name:	WD repeat domain 4
Synonyms:	TRM82; TRMT82
SwissProt:	P57081
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human esophagus cancer
IHC Recommend dilution:	50-100
WB Predicted band size:	45 kDa
WB Positive control:	TM4 cell lysate
WB Recommended dilution:	500-2000



