

兔抗 WNT10A 多克隆抗体

中文名称: 兔抗 WNT10A 多克隆抗体

英文名称: Anti-WNT10A rabbit polyclonal antibody

别 名: OODD; SSPS; STHAG4

相关类别: 一抗

储 存: 冷冻 (-20℃)

宿 主: Rabbit

抗 原: WNT10A

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

The WNT gene family consists of structurally relate d genes which encode secreted signaling proteins. These proteins have been implicated in oncogenesi s and in several developmental processes, including regulation of cell fate and patterning during embry ogenesis. This gene is a member of the WNT gene family. It is strongly expressed in the cell lines of p romyelocytic leukemia and Burkitt's lymphoma. In a ddition, it and another family member, the WNT6 gene, are strongly coexpressed in colorectal cancer cell lines. The gene overexpression may play key ro les in carcinogenesis through activation of the WN T-beta-catenin-TCF signaling pathway. This gene an d the WNT6 gene are clustered in the chromosom



	e 2q35 region.
Applications:	ELISA, IHC
Name of antibody:	WNT10A
Immunogen:	Synthetic peptide of humanWNT10A
Full name:	wingless-type MMTV integration site family, membe r 10A
Synonyms:	OODD; SSPS; STHAG4
SwissProt:	Q9GZT5
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human liver cancer
IHC Recommend dilution:	10-50

