

LAT2 抗原(重组蛋白)

- 中文名称: LAT2 抗原(重组蛋白)
- 英文名称: LAT2 Antigen (Recombinant Protein)
- 别 名: LAB, NTAL, WSCR5, WBSCR5, HSPC046, WBSCR15
- 储存: 冷冻(-20℃)
- 相关类别: 抗原

概述

Fusion protein corresponding to a region derived from 27-243 amino acids of human LAT2

技术规格

| Full name: | linker for activation of T cells family, member 2 |
|--------------------|---|
| Synonyms: | LAB, NTAL, WSCR5, WBSCR5, HSPC046, WBSCR15 |
| Swissprot: | Q9GZY6 |
| Gene Accession: | BC001609 |
| Purity: | >85%, as determined by Coomassie blue stained SDS-PAGE |
| Expression system: | Escherichia coli |
| Tags: | His tag C-Terminus, GST tag N-Terminus |
| Background: | This gene is one of the contiguous genes at 7q11.23 comm only deleted in Williams syndrome, a multisystem developm ental disorder. This gene consists of at least 14 exons, and i ts alternative splicing generates 3 transcript variants, all enc oding the same protein. Involved in FCER1 (high affinity im munoglobulin epsilon receptor)-mediated signaling in mast c ells. May also be involved in BCR (B-cell antigen receptor)- mediated signaling in B-cells and FCGR1 (high affinity immu noglobulin gamma Fc receptor I)-mediated signaling in myel oid cells. Couples activation of these receptors and their ass ociated kinases with distal intracellular events through the re |



cruitment of GRB2.