

VASP 抗原(重组蛋白)

中文名称: VASP 抗原(重组蛋白)

英文名称: VASP Antigen (Recombinant Protein)

别 名: vasodilator-stimulated phosphoprotein

相关类别: 抗原

存: 冷冻(-20℃)

概述

Fusion protein corresponding to a region derived from 181-380 amino acids of human VASP

技术规格

Full name:	vasodilator-stimulated phosphoprotein
Swissprot:	P50552
Gene Accession:	BC038224
Purity:	>85%, as determined by Coomassie blue stained SDS-PAGE
Expression system:	Escherichia coli
Tags:	His tag C-Terminus, GST tag N-Terminus
Background:	Vasodilator-stimulated phosphoprotein (VASP) is a member of the Ena-VASP protein family. Ena-VASP family members contain an E HV1 N-terminal domain that binds proteins containing E/DFPPPPX D/E motifs and targets Ena-VASP proteins to focal adhesions. In t he mid-region of the protein, family members have a proline-rich domain that binds SH3 and WW domain-containing proteins. Their C-terminal EVH2 domain mediates tetramerization and binds both G and F actin. VASP is associated with filamentous actin format ion and likely plays a widespread role in cell adhesion and motility. VASP may also be involved in the intracellular signaling pathwa



www.shjning.com

ys that regulate integrin-extracellular matrix interactions. VASP is r egulated by the cyclic nucleotide-dependent kinases PKA and PKG