

## 兔抗 S100B 多克隆抗体

中文名称: 兔抗 S100B 多克隆抗体

英文名称: Anti-S100B rabbit polyclonal antibody

别 名: NEF; S100; S100-B; S100beta

相关类别: 一抗

储 存: 冷冻(-20℃)

抗 原: S100B

宿 主: Rabbit

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

**Background:** 

The protein encoded by this gene is a memb er of the S100 family of proteins containing 2 EF-hand calcium-binding motifs. S100 proteins are localized in the cytoplasm and/or nucleus of a wide range of cells, and involved in the regulation of a number of cellular processes such as cell cycle progression and differentiation. S100 genes include at least 13 mem bers which are located as a cluster on chromination.



	osome 1q21; however, this gene is located at
	21q22.3. This protein may function in Neurite
	extension, proliferation of melanoma cells, sti
	mulation of Ca2+ fluxes, inhibition of PKC-me
	diated phosphorylation, astrocytosis and axon
	al proliferation, and inhibition of microtubule
	assembly. Chromosomal rearrangements and
	altered expression of this gene have been im
	plicated in several neurological, neoplastic, an
	d other types of diseases, including Alzheimer
	's disease, Down's syndrome, epilepsy, amyotr
	ophic lateral sclerosis, melanoma, and type I
	diabetes.
Applications:	ELISA, IHC
Name of antibody:	S100B
Immunogen:	Synthetic peptide of human S100B
Full name:	S100 calcium binding protein B
Synonyms:	NEF; S100; S100-B; S100beta
SwissProt:	P04271
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human brain



IHC Recommend dilution: 25-100

