

## 兔抗 SOCS3 多克隆抗体

中文名称: 兔抗 SOCS3 多克隆抗体

英文名称: Anti-SOCS3 rabbit polyclonal antibody

别 名: CIS3, SSI3, ATOD4, Cish3, SSI-3, SOCS-3

储 存: 冷冻(-20℃)

抗原: SOCS3

宿 主: Rabbit

相关类别: 一抗

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

Background:	This gene encodes a member of the STAT-induced S TAT inhibitor (SSI), also known as suppressor of cyto kine signaling (SOCS), family. SSI family members are cytokine-inducible negative regulators of cytokine sig naling. The expression of this gene is induced by var ious cytokines, including IL6, IL10, and interferon (IFN )-gamma. The protein encoded by this gene can bin d to JAK2 kinase, and inhibit the activity of JAK2 kin ase. Studies of the mouse counterpart of this gene s uggested the roles of this gene in the negative regul ation of fetal liver hematopoiesis, and placental devel opment.
Applications:	ELISA, WB, IHC
Name of antibody:	SOCS3
Immunogen:	Fusion protein of human SOCS3



## www.shjning.com

Full name:	suppressor of cytokine signaling 3
Synonyms:	CIS3, SSI3, ATOD4, Cish3, SSI-3, SOCS-3
SwissProt:	O14543
ELISA Recommended dilution:	1000-5000
IHC positive control:	Human liver cancer and human lung cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	25 kDa
WB Positive control:	Mouse heart tissue
WB Recommended dilution:	500-2000





