

兔抗 POMK 多克隆抗体

中文名称: 兔抗 POMK 多克隆抗体

英文名称: Anti-POMK rabbit polyclonal antibody

别名: SGK196; MDDGA12; MDDGC12

相关类别: 一抗

储 存: 冷冻 (-20℃)

宿 主: Rabbit

抗原: **POMK**

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal


技术规格

Background:	This gene encodes a protein that may be involved in the presentation of the laminin-binding O-linked carbohydrat e chain of alpha-dystroglycan (a-DG), which forms transm embrane linkages between the extracellular matrix and th e exoskeleton. Some pathogens use this O-linked carbohy drate unit for host entry. Loss of function compound het erozygous mutations in this gene were found in a human patient affected by the Walker-Warburg syndrome (WWS) phenotype.
Applications:	ELISA, WB, IHC
Name of antibody:	POMK
Immunogen:	Fusion protein of human POMK
Full name:	protein-O-mannose kinase



www.shjning.com

Synonyms:	SGK196; MDDGA12; MDDGC12
SwissProt:	Q9H5K3
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human brain
IHC Recommend dilution:	25-100
WB Predicted band size:	40 kDa
WB Positive control:	TM4 cell
WB Recommended dilution:	200-1000





www.shjning.com

