

## 兔抗 TBC1D22A 多克隆抗体

中文名称：兔抗 TBC1D22A 多克隆抗体

英文名称：Anti-TBC1D22A rabbit polyclonal antibody

别名：C22orf4; HSC79E021

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：TBC1D22A

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

#### Background:

TBC1D22A (TBC1 domain family, member 22A), also known as C22orf4, is a 517 amino acid protein that contains one Rab-GAP TBC domain and is thought to function as a GTPase-activating protein for Rab family members. Multiple isoforms of TBC1D22A exist due to alternative splicing events. The gene encoding TBC1D22A maps to human chromosome 22, which houses over 500 genes and is the second smallest human chromosome. Mutations in several of the genes that map to chromosome 22 are involved in the development of Phelan-McDermid syndrome, neurofibromatosis type 2, autism and schizophrenia. Additionally, translocations between chromosomes 9 and 22 may lead to the formation of the Philadelphia chromosome and the subsequent production of the novel fusion protein BCR-Abl, a potent cell proliferation activator found in several

	I types of leukemias.
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	TBC1D22A
<b>Immunogen:</b>	Fusion protein of human TBC1D22A
<b>Full name:</b>	TBC1 domain family, member 22A
<b>Synonyms :</b>	C22orf4; HSC79E021
<b>SwissProt:</b>	Q8WUA7
<b>ELISA Recommended dilution:</b>	2000-5000
<b>IHC positive control:</b>	Human thyroid cancer
<b>IHC Recommend dilution:</b>	25-100

