

## 兔抗 SNIP1 多克隆抗体

中文名称: 兔抗 SNIP1 多克隆抗体

英文名称: Anti-SNIP1 rabbit polyclonal antibody

别 名: Smad nuclear interacting protein 1; PML1; PMRED

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗原: SNIP1

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

Background:	This gene encodes a protein that contains a coiled-coil motif and C-terminal forkhead-associated (FHA) domain. The encoded protein functions as a transcriptional coactivator that increases c-Myc activity and inhibits transforming growth factor beta (TGF-beta) and nuclear factor kappa-B (NF-kB) signaling. The encoded protein also regulates the stability of cyclin D1 mRNA, and may play a role in cell proliferation and cancer progression. Mutations in this gene are a cause of psychomotor retardation, epilepsy, and captured to the contraction of the contraction
Applications:	raniofacial dysmorphism (PMRED).  ELISA, WB, IHC
Name of antibody:	SNIP1
Immunogen:	Fusion protein of human SNIP1
Full name:	Smad nuclear interacting protein 1



## www.shjning.com

Synonyms:	PML1; PMRED
SwissProt:	Q8TAD8
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human breast cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	46 kDa
WB Positive control:	TM4 cell lysate
WB Recommended dilution:	1000-5000





