

兔抗 RPS27A 多克隆抗体

中文名称: 兔抗 RPS27A 多克隆抗体

英文名称: Anti-RPS27A rabbit polyclonal antibody

别名: ribosomal protein S27a; UBC; S27A; CEP80; UBA80; HEL112; UBCEP1; UBCEP80

储存: 冷冻 (-20℃)

抗原: RPS27A

宿主: Rabbit

反应种属: Human, Mouse, Rat

相关类别: 一抗

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

Ubiquitin, a highly conserved protein that has a major role in targeting cellular proteins for degradation by the 26S proteasome, is synthesized as a precursor protein consisting of either polyubiquitin chains or a single ubiquitin fused to an unrelated protein. This gene encodes a fusion protein consisting of ubiquitin at the N terminus and ribosomal protein S27a at the C terminus. When expressed in yeast, the protein is post-translationally processed, generating free ubiquitin monomer and ribosomal protein S27a. Ribosomal protein S27a is a component of the 40S subunit of the ribosome and belongs to the S27AE family of ribosomal proteins. It contains C4-type zinc finger domains and is located in

	the cytoplasm. Pseudogenes derived from this gene are present in the genome. As with ribosomal protein S27a, ribosomal protein L40 is also synthesized as a fusion protein with ubiquitin; similarly, ribosomal protein S30 is synthesized as a fusion protein with the ubiquitin-like protein fubi. Multiple alternatively spliced transcript variants that encode the same proteins have been identified.
Applications:	ELISA, IHC
Name of antibody:	RPS27A
Immunogen:	Fusion protein of human RPS27A
Full name:	ribosomal protein S27a
Synonyms:	UBC; S27A; CEP80; UBA80; HEL112; UBCEP1; UBCEP80
SwissProt:	P62979
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human esophagus cancer and Human cervical cancer
IHC Recommend dilution:	30-150



