

## 兔抗 SMAD3 (Phospho-Ser425)多克隆抗体

中文名称: 兔抗 SMAD3 (Phospho-Ser425)多克隆抗体

英文名称: Anti-SMAD3 (Phospho-Ser425) rabbit polyclonal antibody

别 名: LDS3; LDS1C; MADH3; JV15-2; HSPC193; HsT17436

相关类别: 一抗

储 存: 冷冻(-20℃) 避光

宿 主: Rabbit

抗 原: SMAD3 (Phospho-Ser425)

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

Background:	Smad3 encoded by this gene belongs to the SMAD, a family of proteins similar to the gene products of the Dro sophila gene 'mothers against decapentaplegic' (Mad) and the C. elegans gene Sma. SMAD proteins are signal transducers and transcriptional modulators that mediate multiple signaling pathways. This protein functions as a transcriptional modulator activated by transforming growth factor-beta and is thought to play a role in the regulation of carcinogenesis.
Applications:	WB, IHC
Name of antibody:	SMAD3 (Phospho-Ser425)
Immunogen:	Synthetic peptide of human SMAD3 (Phospho-Ser425)
Full name:	SMAD family member 3 (Phospho-Ser425)



## www.shjning.com

Synonyms:	LDS3; LDS1C; MADH3; JV15-2; HSPC193; HsT17436
SwissProt:	P84022
IHC positive control:	Human breast carcinoma
IHC Recommend dilution:	50-100
WB Predicted band size:	48 kDa
WB Positive control:	Hela cells treated with EGF
WB Recommended dilution:	500-1000





