

## 兔抗 UPP2 多克隆抗体

中文名称: 兔抗 UPP2 多克隆抗体

英文名称: Anti-UPP2 rabbit polyclonal antibody

别 名: UP2; UPASE2; UDRPASE2

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: UPP2

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

Background:	Catalyzes the reversible phosphorylytic cleavage of uridin e and deoxyuridine to uracil and ribose- or deoxyribose-1-phosphate. The produced molecules are then utilized as carbon and energy sources or in the rescue of pyrimi dine bases for nucleotide synthesis. Shows substrate spe cificity and accept uridine, deoxyuridine, and thymidine as well as the two pyrimidine nucleoside analogs 5-fluor ouridine and 5-fluoro-2(')-deoxyuridine as substrates.
Applications:	ELISA, WB, IHC
Name of antibody:	UPP2
Immunogen:	Synthetic peptide of humanUPP2
Full name:	uridine phosphorylase 2
Synonyms :	UP2; UPASE2; UDRPASE2
SwissProt:	O95045



## www.shjning.com

ELISA Recommended dilution:	1000-2000
IHC positive control:	Human liver cancer and Human breast cancer
IHC Recommend dilution:	30-150
WB Predicted band size:	36 kDa
WB Positive control:	Mouse kidney tissue
WB Recommended dilution:	200-1000





