

兔抗 WFDC12 多克隆抗体

中文名称: 兔抗 WFDC12 多克隆抗体

英文名称: Anti-WFDC12 rabbit polyclonal antibody

级 别: WAP2; SWAM2; C20orf122; dJ211D12.4

储 存: 冷冻 (-20℃)

抗 原: WFDC12

宿 主: Rabbit

相关类别: 一抗

反应种属: Human

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	This gene encodes a member of the WAP-type four-disulfide core (WFDC) domain family. The WFDC domain, or WAP signature motif, contains eight cysteines forming four disulfide bonds at the core of the protein, and functions as a protease inhibitor. Most WFDC gene members are localized to chromosome 20q12-q13 in two clusters: centromeric and telomeric. This gene belongs to the centromeric cluster.
Applications:	ELISA, IHC
Name of antibody:	WFDC12
Immunogen:	Synthetic peptide of human WFDC12
Full name:	WAP four-disulfide core domain 12
Synonyms:	WAP2; SWAM2; C20orf122; dJ211D12.4
SwissProt:	Q8WWY7

ELISA Recommended dilution:	5000-10000
IHC positive control:	Human colorectal cancer and human tonsil
IHC Recommend dilution:	20-100



